

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

EAST - [Untitled1:2]

File View Edit Tools Window Help

Search List Browse Queue Clear

DBs: DERWENT Plurals

Default operator: OR Highlight all hit terms initially

(sunscreen or \$3sunshade) and (magnet\$ or velcro)

L3: (0) B62D25/06.ipc.
L4: (180) B62D025/06.ipc.
L5: (65) 11 and (sunscreen or \$3shade
L6: (7) 14 and (sunscreen or \$3shade)
L7: (723) B60J007/00.ipc.-B60J007/20.
L8: (295) 17 and insert\$
L9: (65) 17 and install
L10: (55) 17 and install\$ with remov\$
L11: (276) B60J001/20.ipc.
L12: (1539) B60J001/20.ipc.
L13: (135) 112 and (sunscreen or \$3sh
L14: (180) B62D025/06.ipc.
L15: (7) 114 and (sunscreen or \$3shad
L16: (1655) B62D025/06.ipc.
L17: (15) 116 and (sunscreen or \$3sha
L18: (2041) B60J007/00.ipc.-B60J007/2
L19: (0) 118 and ((install\$ and remov
L20: (15) 118 and ((install\$) with (s
L21: (14) 118 and (magnet\$ or velcro)
L22: (34) (sunscreen or \$3sunshade) a
Failed

Structured Custom form BRS form IS&R form Hits Details Image Text HTML

	U	I	Document ID	Issue Dat	Page	Title	Current C
1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	WO 200194139 A	20031021	6	Drive device for roller blind for vehicle roof	
2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	JP 09048294 A	20030224	6	Head lining for motor vehicle - has front end	
3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6698881 B	20040302	12	Pivotable sunshade clip for spectacles.. has mad	
4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	JP 2000238534	20030714	9	Sunshade apparatus for motor vehicle rear wind	

L3: (0) B62D25/06.ipc.
L4: (180) B62D025/06.i
L5: (65) 11 and (sunsc
L6: (7) 14 and (sunscr
L7: (723) B60J007/00.i
L8: (295) 17 and inser
L9: (65) 17 and instal
L10: (55) 17 and insta
L11: (276) B60J001/20.
L12: (1539) B60J001/20
L13: (135) 112 and (su
L14: (180) B62D025/06.
L15: (7) 114 and (suns
L16: (1655) B62D025/06
L17: (15) 116 and (sur
L18: (2041) B60J007/00
L19: (0) 118 and ((ins
L20: (15) 118 and ((ir
L21: (14) 118 and (mag
L22: (34) (sunscreen c
Failed
Saved
Favorites
Tagged (4)
UDC
Queue
Trash

Hits Details HTML

Ready [NUM]

EAST - [Untitled1:2]

File View Edit Tools Window Help

☐ L3: (0) B62D25/06.ipc.
☐ L4: (180) B62D025/06.ipc.
☐ L5: (65) 11 and (sunscreen or \$3shade
☐ L6: (7) 14 and (sunscreen or \$3shade)
☐ L7: (723) B60J007/00.ipc.-B60J007/20.
☐ L8: (295) 17 and insert\$
☐ L9: (65) 17 and install
☐ L10: (55) 17 and install\$ with remov\$
☐ L11: (276) B60J001/20.ipc.
☐ L12: (1539) B60J001/20.ipc.
☐ L13: (135) 112 and (sunscreen or \$3sh
☐ L14: (180) B62D025/06.ipc.
☐ L15: (7) 114 and (sunscreen or \$3shad
☐ L16: (1655) B62D025/06.ipc.
☐ L17: (15) 116 and (sunscreen or \$3sha
☐ L18: (2041) B60J007/00.ipc.-B60J007/2
☐ L19: (0) 118 and ((install\$ and remov
☐ L20: (15) 118 and ((install\$) with (s
☐ L21: (14) 118 and (magnet\$ or velcro)
☐ L22: (34) (sunscreen or \$3sunshade) a
☐ Failed

Search List Browse Queue Clear
 DBs: DERWENT ☐ Plurals
 Default operator: OR ☒ Highlight all hit terms initially
 (sunscreen or \$3sunshade) and (magnet\$ or velcro)

Structured Custom form BRS form S&R form Hits Details Image Text HTML

Type	L #	Hits	Search Text	DBs	Time Stamp	Comment	Error
BRS	L1	276	B60J001/20.ipc.	USPA T	2004/07/1 9 07:46		
BRS	L2	66	11 and (sunscreen or \$shade)	USPA T	2004/07/1 9 07:41		
BRS	L3	0	B62D25/06.ipc.	USPA T	2004/07/1 9 07:52		
BRS	L4	180	B62D025/06.ipc.	USPA T	2004/07/1 9 07:41		
BRS	L5	65	11 and (sunscreen or \$3shade)	USPA T	2004/07/1 9 07:42		
BRS	L6	7	14 and (sunscreen or \$3shade)	USPA T	2004/07/1 9 07:43		
BRS	L7	723	B60J007/00.ipc.-B60J007/20.ipc.	USPA T	2004/07/1 9 07:43		
BRS	L8	295	17 and insert\$	USPA T	2004/07/1 9 07:44		
BRS	L9	65	17 and install	USPA T	2004/07/1 9 07:45		
BRS	L10	55	17 and install\$ with remov\$	USPA T	2004/07/1 9 07:46		
BRS	L11	276	B60J001/20.ipc.	USPA T	2004/07/1 9 07:46		
BRS	L12	1539	B60J001/20.ipc.	DERW ENT	2004/07/1 9 07:47		
BRS	L13	135	112 and (sunscreen or \$3shade)	DERW ENT	2004/07/1 9 07:47		
BRS	L14	180	B62D025/06.ipc.	USPA T	2004/07/1 9 07:52		

Drafts
 Pending
 Active
 L1: (276) B60J001/20.i
 L2: (66) 11 and (sunc
 L3: (0) B62D25/06.ipc.
 L4: (180) B62D025/06.i
 L5: (65) 11 and (sunc
 L6: (7) 14 and (suncr
 L7: (723) B60J007/00.i
 L8: (295) 17 and inser
 L9: (65) 17 and instal
 L10: (55) 17 and insta
 L11: (276) B60J001/20.
 L12: (1539) B60J001/20
 L13: (135) 112 and (su
 L14: (180) B62D025/06.
 L15: (7) 114 and (suns
 L16: (1655) B62D025/06
 L17: (15) 116 and (sur
 L18: (2041) B60J007/00
 L19: (0) 118 and ((ins
 L20: (15) 118 and ((ir
 L21: (14) 118 and (mag
 L22: (34) (sunscreen c
 Failed
 Saved

Hits Details HTML

Ready

EAST - [Untitled1:2]

File View Edit Tools Window Help

☐ L3: (0) B62D25/06.ipc.
☐ L4: (180) B62D025/06.ipc.
☐ L5: (65) 11 and (sunscreen or \$3shade
☐ L6: (7) 14 and (sunscreen or \$3shade)
☐ L7: (723) B60J007/00.ipc.-B60J007/20.
☐ L8: (295) 17 and insert\$
☐ L9: (65) 17 and install
☐ L10: (55) 17 and install\$ with remov\$
☐ L11: (276) B60J001/20.ipc.
☐ L12: (1539) B60J001/20.ipc.
☐ L13: (135) 112 and (sunscreen or \$3sh
☐ L14: (180) B62D025/06.ipc.
☐ L15: (7) 114 and (sunscreen or \$3shad
☐ L16: (1655) B62D025/06.ipc.
☐ L17: (15) 116 and (sunscreen or \$3sha
☐ L18: (2041) B60J007/00.ipc.-B60J007/2
☐ L19: (0) 118 and ((install\$ and remov
☐ L20: (15) 118 and ((install\$) with (s
☐ L21: (14) 118 and (magnet\$ or velcro)
☐ L22: (34) (sunscreen or \$3sunshade) a
☐ Failed


Search List Browse Queue Clear
 DBs: DERWENT Plurals
 Default operator: OR Highlight all hit terms initially
 (sunscreen or \$3sunshade) and (magnet\$ or velcro)

Structured Custom form BRS form IS&R form Hits Details Image Text HTML

	Type	L #	Hits	Search Text	DBs	Time Stam	Comment	Error
9	BRS	L9	65	17 and install	USPA T	2004/07/1 9 07:45		
10	BRS	L10	55	17 and install\$ with remov\$	USPA T	2004/07/1 9 07:46		
11	BRS	L11	276	B60J001/20.ipc.	USPA T	2004/07/1 9 07:46		
12	BRS	L12	1539	B60J001/20.ipc.	DERW ENT	2004/07/1 9 07:47		
13	BRS	L13	135	112 and (sunscreen or \$3shade)	DERW ENT	2004/07/1 9 07:47		
14	BRS	L14	180	B62D025/06.ipc.	USPA T	2004/07/1 9 07:52		
15	BRS	L15	7	114 and (sunscreen or \$3shade)	USPA T	2004/07/1 9 07:53		
16	BRS	L16	1655	B62D025/06.ipc.	DERW ENT	2004/07/1 9 07:53		
17	BRS	L17	15	116 and (sunscreen or \$3shade)	DERW ENT	2004/07/1 9 07:56		
18	BRS	L18	2041	B60J007/00.ipc.-B60J0 07/20.ipc.	DERW ENT	2004/07/1 9 07:57		
19	BRS	L19	0	118 and ((install\$ and remov\$) with (sun	DERW ENT	2004/07/1 9 07:58		
20	BRS	L20	15	118 and ((install\$) with (sunscreen or su	DERW ENT	2004/07/1 9 08:00		
21	BRS	L21	14	118 and (magnet\$ or velcro)	DERW ENT	2004/07/1 9 08:01		
22	BRS	L22	34	(sunscreen or \$3sunshade) and (mag	DERW ENT	2004/07/1 9 08:01		

Hits Details HTML

Ready NUM



Active

- L1: (454) (296/214).CCLS.
- L2: (13) L1 and magnet\$
- L3: (421) (296/97.8).CCLS.
- L4: (213) (11 or 13) and roll\$
- L5: (70) 11 and visor
- L6: (3) 11 and visor with roll\$
- L7: (2) (("2747929") or ("2855241")).PN.
- L8: (1) ("2747927").PN.
- L9: (0) 11 and dual with roll
- L10: (32) 11 and roll
- L11: (119) 13 and roll\$
- L12: (41) 13 and roll
- L13: (8) 13 and roll-up
- L14: (77) 111 and spring
- L16: (38) 115 and slid\$
- L15: (75) 11 and (remove or install)

Failed

- (0) ("296/214.ccls.-296/224.ccls.").CCLS.
- (0) ("296/\$.ccls.").CCLS.

Search List Browse Queue

DBs USPA Plurals

Default operator: ☒ Highlight all hit terms initially

11 and (remove or install)

Drafts

Pending

Active

Failed

Saved

Favorites

Tagged (26)

UDC

Queue

Trash

	U	I	Document ID	Issue Dat	Page	Title	Current
6	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4914882 A	19900410	4	Butt arrangement of trim parts for a vehicl	52/287.
7	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4617209 A	19861014	4	Molded end cap for extruded trims	428/31
8	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4493506 A	19850115	6	Vehicle rocker panel structure	296/209
9	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4364591 A	19821221	4	Eyelet trim strip fastening arrangement	293/102
10	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3451709 A	19690624	3	SIDEWALL AND FENDER PROTECTOR	293/128
11	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3388523 A	19680618	3	Vehicle trim strip with bumper insert	52/716.
12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4229036 A	19801021	6	Pillar garnish	296/202
13	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3495673 A	19700217	6	VEHICLE BODY ACCESSORY	180/89.
14	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5803534 A	19980908	10	Passenger car with a transparent top assembl	296/215
15	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4801174 A	19890131	17	Transparent roof convertible automobile	296/216
16	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6726274 B2	20040427	8	Openable motor vehicle roof with improved slid	296/214
17	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6309013 B1	20011030	18	Openable motor vehicle roof with adjustable he	296/214
18	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6282911 B1	20010904	26	Air conditioning system for automotive vehicle	62/244
19	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6179034 B1	20010130	8	Internally mounted sunroof screen arrangem	160/105
20	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5280991 A	19940125	6	Headliner	296/214
21	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3953067 A	19760427	23	Vehicle headliner construction	296/214
22	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 2855241 A	19581007	3	Rollable sun visor having a plurality of s	296/97.
23	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6634703 B1	20031021	6	Driving device for a roll-up sunshield of an	296/214
24	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4872722 A	19891010	9	Sun roof for vehicles having protective scree	296/214

Hits Details HTML



Active

- ☒ L1: (454) (296/214).CCLS.
- ☒ L2: (13) L1 and magnet\$
- ☒ L3: (421) (296/97.8).CCLS.
- ☒ L4: (213) (11 or 13) and roll\$
- ☒ L5: (70) 11 and visor
- ☒ L6: (3) 11 and visor with roll\$
- ☒ L7: (2) (("2747929") or ("2855241")).PN.
- ☒ L8: (1) ("2747927").PN.
- ☒ L9: (0) 11 and dual with roll
- ☒ L10: (32) 11 and roll
- ☒ L11: (119) 13 and roll\$
- ☒ L12: (41) 13 and roll
- ☒ L13: (8) 13 and roll-up
- ☒ L14: (77) 111 and spring
- ☒ L16: (38) 115 and slid\$
- ☒ L15: (75) 11 and (remove or install)

Failed

- ☒ (0) ("296/214.ccls.-296/224.ccls.").CCLS.
- ☒ (0) ("296/\$.ccls.").CCLS.

Search List Browse Queue

DBs USPA Plurals

Default operator: ☒ Highlight all hit terms initially

11 and (remove or install)

Drafts

- ☐ Pending
- ☒ Active
- ☐ Failed
- ☐ Saved
- ☐ Favorites
- ☒ Tagged (26)
- ☐ UDC
- ☐ Queue
- ☐ Trash

	U	1	Document ID	Issue Dat	Page	Title	Current
9	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4364591 A	19821221	4	Eyelet trim strip fastening arrangement	293/102
10	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3451709 A	19690624	3	SIDEWALL AND FENDER PROTECTOR	293/128
11	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3388523 A	19680618	3	Vehicle trim strip with bumper insert	52/716.
12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4229036 A	19801021	6	Pillar garnish	296/202
13	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3495673 A	19700217	6	VEHICLE BODY ACCESSORY	180/89.
14	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5803534 A	19980908	10	Passenger car with a transparent top assembl	296/215
15	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4801174 A	19890131	17	Transparent roof convertible automobile	296/216
16	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6726274 B2	20040427	8	Openable motor vehicle roof with improved slid	296/214
17	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6309013 B1	20011030	18	Openable motor vehicle roof with adjustable he	296/214
18	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6282911 B1	20010904	26	Air conditioning system for automotive vehicle	62/244
19	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6179034 B1	20010130	8	Internally mounted sunroof screen arrangem	160/105
20	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5280991 A	19940125	6	Headliner	296/214
21	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3953067 A	19760427	23	Vehicle headliner construction	296/214
22	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 2855241 A	19581007	3	Rollable sun visor having a plurality of s	296/97.
23	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6634703 B1	20031021	6	Driving device for a roll-up sunshield of an	296/214
24	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4872722 A	19891010	9	Sun roof for vehicles having protective scree	296/214
25	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4800803 A	19890131	6	Ventilation device	454/129
26	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5267768 A	19931207	13	Ceiling-mounted retractable glare shadi	296/97.



Active

- L1: (454) (296/214).CCLS.
- L2: (13) L1 and magnet\$
- L3: (421) (296/97.8).CCLS.
- L4: (213) (11 or 13) and roll\$
- L5: (70) 11 and visor
- L6: (3) 11 and visor with roll\$
- L7: (2) (("2747929") or ("2855241")).PN.
- L8: (1) ("2747927").PN.
- L9: (0) 11 and dual with roll
- L10: (32) 11 and roll
- L11: (119) 13 and roll\$
- L12: (41) 13 and roll
- L13: (8) 13 and roll-up
- L14: (77) 111 and spring
- L16: (38) 115 and slid\$
- L15: (75) 11 and (remove or install)

Failed

- (0) ("296/214.ccls.-296/224.ccls.").CCLS.
- (0) ("296/\$.ccls.").CCLS.

Default operator: ☒ Highlight all hit terms initially
 11 and (remove or
install)

Drafts

- ☐ Pending
- ☒ Active
- ☐ Failed
- ☐ Saved
- ☐ Favorites
- ☐ Tagged (26)
- ☐ UDC
- ☐ Queue
- ☐ Trash

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comment	Error I
1	IS&R	L1	454	(296/214).CCLS.	USPA	2004/07/1		
					T	7 12:07		
2	BRS	L2	13	L1 and magnet\$	USPA	2004/07/1		
					T	7 12:15		
3	IS&R	L3	421	(296/97.8).CCLS.	USPA	2004/07/1		
					T	7 12:15		
4	BRS	L4	213	(11 or 13) and roll\$	USPA	2004/07/1		
					T	7 12:16		
5	BRS	L5	70	11 and visor	USPA	2004/07/1		
					T	7 12:16		
6	BRS	L6	3	11 and visor with roll\$	USPA	2004/07/1		
					T	7 12:20		
7	IS&R	L7	2	(("2747929") or ("2855241")).PN.	USPA	2004/07/1		
					T	7 12:19		
8	IS&R	L8	1	("2747927").PN.	USPA	2004/07/1		
					T	7 12:21		
9	BRS	L9	0	11 and dual with roll	USPA	2004/07/1		
					T	7 12:21		
10	BRS	L10	32	11 and roll	USPA	2004/07/1		
					T	7 12:24		
11	BRS	L11	119	13 and roll\$	USPA	2004/07/1		
					T	7 12:24		
12	BRS	L12	41	13 and roll	USPA	2004/07/1		
					T	7 12:24		
13	BRS	L13	8	13 and roll-up	USPA	2004/07/1		
					T	7 12:25		
14	BRS	L14	77	111 and spring	USPA	2004/07/1		
					T	7 12:28		
15	BRS	L16	38	115 and slid\$	USPA	2004/07/1		
					T	7 12:28		
16	BRS	L15	75	11 and (remove or install)	USPA	2004/07/1		
					T	7 12:31		